

SLIPPROOFNZ

ANTI-SLIP SAFETY SOLUTIONS

PRODUCT CATALOGUE JANUARY 2024

Visit our e-commerce site for full details and pricing

Direct Importers and Wholesalers of quality products, supplying industrial, commercial and residential sites nationwide.

Slip Proof NZ has been the stair, deck, ramp and flooring safety specialists since 2008, eliminating and minimising slip, trip and fall hazards throughout NZ.

MFRP and Aluminum Stair Nosing, Deck Tread, Glow in the Dark Nosing, Anti Slip Tape, slippery tile and concrete treatments.

Products are independently tested in NZ by WSP to comply with D1 / AS1 building code. All test results are able to be viewed on our website.

SLIPPROOFNZ

ANTI-SLIP SAFETY SOLUTIONS

**Your stair, deck, ramp and flooring
safety specialists since 2008**

*Slip Proof
FRP Deck Tread
being installed on
Taupo waterfront
boardwalk*

Eliminate / minimise slip, trip and fall hazards.

Direct importers and wholesalers of quality products supplying Nationwide.

Stair nosing, deck tread, glow in the dark products, anti-slip tape, slippery tile and concrete treatments.

Products are independently tested in NZ by WSP to comply with D1/AS1 building code.

Phone Murray today to discuss your area of concern for advise and no obligation quote.

Slip Proof NZ Ltd
100a Park Road, Katikati 3129

Murray Jepson

P 07 542 2240

E info@slipproof.co.nz

www.slipproof.co.nz



CONTENTS



ALUMINIUM & FRP	4
<u>STAIR NOSINGS</u>	5
<u>DECK TREADS</u>	10
<u>TILES</u>	12
<u>FIXINGS FOR ALUMINIUM & FRP</u>	13
<u>ANTI SLIP SOLUTIONS</u>	15
TILED, CONCRETE & TERRAZZO SURFACES	16
<u>ANTI SLIP GRIP TAPES</u>	17
ANTI SLIP GRIP TAPE	18
COMFORTABLE GRIP TAPE	19
MARINE ANTI SLIP TAPE	19
<u>PERMASTRIPE LINE MARKING TAPE</u>	20
LINE MARKING, BOOTS & 90 DEGREE CORNER	21

SLIPPROOFNZ
ANTI-SLIP SAFETY SOLUTIONS

Visit our e-commerce site for full details and pricing.

You can click on the product links above to be taken directly to the site.

For further enquiries please phone Slip Proof 07 542 2240 | 027 222 1742

ALUMINIUM & FRP STAIR NOSINGS, DECK TREADS & TILES

WHY USE NON SLIP STAIR NOSINGS, DECK TREADS AND FRP TILES?

Most slip and trip accidents on stairs, walkways and ramps happen due to slipping on the leading edge of the step or gradient of a ramp or walkway.

Slippery stairs, ramps and walkways are a major hazard and result in thousands of injuries every year. You must always eliminate the risk where you're reasonably able to.

OUR PRODUCTS SIGNIFICANTLY REDUCE THIS RISK IN THE FOLLOWING WAYS:

Visibility increased due to contrast

Are made from highly slip resistant material - available in FRP or Aluminium



FEATURES:

- Corrosion resistant
- Guaranteed from delamination for 5 years from purchase date
- Wear and impact resistant
- UV resistant
- Flame retardant

Can be custom cut to your specified length up to 3m.

50X30MM MFRP STAIR NOSING

Available in Industrial Grey / Safety Yellow



MFRP 50mm
profile cross section

SKU

MFRPG50 (Industrial Grey)
MFRPY50 (Safety Yellow)

OPUS CO-EFFICIENT OF FRICTION:

MEAN BP = 88 CLASS = P5

BRIEF DESCRIPTION

Manufactured from pressure moulded FRP impregnated with oxide grit.

- Guaranteed from delamination for 5 years from purchase date
- Corrosion resistant
- Wear and impact resistant
- UV resistant
- Flame retardant
- Light weight, easy to install and hard wearing



Supplied in 1m -3m lengths or custom cut to length as required.
Can be fitted using our Gorilla adhesive and/or screws.

MAXIMUM LENGTH

Available up to 3 Metres

50X30MM MFRP STAIR NOSING

Glow In The Dark



MFRP 50mm
profile cross section

SKU

MFRPGLO50

OPUS CO-EFFICIENT OF FRICTION:

MEAN BP = 88 CLASS = P5

BRIEF DESCRIPTION

Manufactured from pressure moulded FRP impregnated with oxide grit.

- Guaranteed from delamination for 5 years from purchase date
- Corrosion resistant
- Wear and impact resistant
- UV resistant
- Flame retardant
- Light weight, easy to install and hard wearing
- Glow in the dark



Supplied in 1m -3m lengths or custom cut to length as required.
Can be fitted using our Gorilla adhesive and/or screws.

MAXIMUM LENGTH

Available up to 3 Metres

70X30MM MFRP STAIR NOSING

Available in Industrial Grey / Safety Yellow



MFRP 70mm
profile cross section

SKU

MFRPG70 (Industrial Grey)
MFRPY70 (Safety Yellow)

OPUS CO-EFFICIENT OF FRICTION:

MEAN BP = 95 CLASS = P5

BRIEF DESCRIPTION

Manufactured from pressure moulded FRP impregnated with oxide grit.

- Guaranteed from delamination for 5 years from purchase date
- Corrosion resistant
- Wear and impact resistant
- UV resistant
- Flame retardant
- Light weight, easy to install and hard wearing

Supplied in 1m -3m lengths or custom cut to length as required.
Can be fitted using our Gorilla adhesive and/or screws.

MAXIMUM LENGTH

Available up to 3 Metres

MFRP COARSE, LARGER GRITT STAIR NOSING

Available in Yellow Only



50X30MM

70X30MM

LIMITED STOCK

**SUITABLE FOR INDUSTRIAL AND HEAVY COMMERCIAL.
IDEAL FOR USE IN ICY CONDITIONS.**

Same profile cross sections as above.

SKU

MFRPCY50 (Safety Yellow)
MFRPCY70 (Safety Yellow)

OPUS CO-EFFICIENT OF FRICTION:

MEAN BP = 88 CLASS = P5

BRIEF DESCRIPTION

Manufactured from pressure moulded FRP impregnated with oxide grit.

- Guaranteed from delamination for 5 years from purchase date
- Corrosion resistant
- Wear and impact resistant
- UV resistant
- Flame retardant
- Light weight, easy to install and hard wearing


Supplied in 1m -3m lengths or custom cut to length as required.
Can be fitted using our Gorilla adhesive and/or screws.

MAXIMUM LENGTH

3 Metres or custom cut to length

ALUMINIUM STAIR NOSING - Carborundum 4 Strip

Available in Black / Safety Yellow



SKU

A4-CAR-76B (Black)
A4-CAR-76Y (Safety Yellow)

CO-EFFICIENT OF FRICTION:


CLASS = P5

BRIEF DESCRIPTION

- High quality anodised aluminium stair nosing with 4 Carborundum moulded inserts
- Extra heavy duty anodised aluminium frame
- Available in Black or Safety Yellow
- Guaranteed from delamination for 5 years from purchase date
- Supplied cut to length or up to 3M length


MAXIMUM LENGTH

Available up to 3 Metres



ALUMINIUM STAIR NOSING - Carborundum Solid

Available in Black / Safety Yellow



SKU

A1-CAR-59B (Black)
A1-CAR-59Y (Safety Yellow)

CO-EFFICIENT OF FRICTION:


CLASS = P5

BRIEF DESCRIPTION


- High quality anodised aluminium Stair nosing with single wide moulded carborundum strip
- Heavy duty anodised aluminium frame
- Available in Black or Safety Yellow
- Guaranteed from delamination for 5 years from purchase date
- Supplied cut to length or up to 3M length

MAXIMUM LENGTH

Available up to 3 Metres



ALUMINIUM STAIR NOSING Glow In The Dark




SKU AL-CAR-77

CO-EFFICIENT OF FRICTION: CLASS = P5

- BRIEF DESCRIPTION**
- Heavy duty anodised aluminium frame
 - High quality anodised aluminium stair nosing with two moulded Carborundum and one luminous glow in the dark strip for low light conditions
 - Guaranteed from delamination for 5 years from purchase date
 - Supplied cut to length or up to 3M length

MAXIMUM LENGTH Available up to 3 Metres



ALUMINIUM STAIR NOSING - Integrated




SKU AAI-57

CO-EFFICIENT OF FRICTION: CLASS = P5




- BRIEF DESCRIPTION**
- High Quality anodised aluminium nosing with integrated rib
 - Heavy duty and cost effective
 - Supplied cut to length or up to 3M length

MAXIMUM LENGTH Available up to 3 Metres



ALUMINIUM STAIR NOSING - with Rubber Insert

Available with Black / Safety Yellow Insert



AD 60mm
stair tread nosing cross section

SKU AD60B (Black)
AD60Y (Safety Yellow)



OPUS CO-EFFICIENT OF FRICTION: MEAN BP = 39 CLASS = P3

- BRIEF DESCRIPTION**
- Pre drilled quality anodised aluminium stair nosing complete with PVC rubber insert.
 - Protect the stairs from further wear.
 - Price includes concrete plugs and stainless steel screws for fitting.
 - Available in 1m to 3m lengths.

MAXIMUM LENGTH Available up to 3 Metres

ALUMINIUM STAIR NOSING - with Rubber Insert

Glow In The Dark



AD GLO 60mm
stair tread nosing cross section

SKU AD60GLO



OPUS CO-EFFICIENT OF FRICTION: MEAN BP = 39 CLASS = P3

- BRIEF DESCRIPTION**
- Pre drilled quality anodised aluminium stair nosing complete with PVC rubber insert.
 - Protect the stairs from further wear.
 - Price includes concrete plugs and stainless steel screws for fitting.
 - Available in 1m to 3m lengths.
 - Glow in the dark

MAXIMUM LENGTH Available up to 3 Metres

50MM FRP DECK TREAD

Available in Industrial Grey / Safety Yellow / Black



DT 50mm
profile cross section

Note: dimensions include for thin granular
antislip coating on top and edge surfaces

SKU	DT50G (Industrial Grey) DT50Y (Safety Yellow) DT50B (Black)
OPUS CO-EFFICIENT OF FRICTION:	MEAN BP = 77 CLASS = P5
BRIEF DESCRIPTION	<p>Manufactured from pressure moulded fibreglass strips, with impregnated oxide grit.</p> <ul style="list-style-type: none"> • Guaranteed from delamination for 5 years from purchase date • Corrosion resistant • Wear and impact resistant • UV resistant • Flame retardant • Light weight, easy to install and hard wearing <p>Supplied in 1m -3m lengths or custom cut to length as required. Can be fitted using our Gorilla adhesive and/or screws.</p>
MAXIMUM LENGTH	Available up to 3 Metres


50MM FRP DECK TREAD

Glow In The Dark



LIGHTS ON

LIGHTS OFF





DT 50mm
profile cross section

Note: dimensions include for thin granular
antislip coating on top and edge surfaces

SKU	DT50GLO
OPUS CO-EFFICIENT OF FRICTION:	MEAN BP = 77 CLASS = P5
BRIEF DESCRIPTION	<p>Manufactured from pressure moulded fibreglass strips, with impregnated oxide grit.</p> <ul style="list-style-type: none"> • Guaranteed from delamination for 5 years from purchase date • Corrosion resistant • Wear and impact resistant • UV resistant • Flame retardant • Light weight, easy to install and hard wearing <p>Supplied in 1m -3m lengths or custom cut to length as required. Can be fitted using our Gorilla adhesive and/or screws.</p>
MAXIMUM LENGTH	Available up to 3 Metres

90MM FRP DECK TREAD

Available in Industrial Grey / Safety Yellow / Black




DT 90mm
profile cross section

Note: dimensions include for 1mm thick granular
antislip coating on top and edge surfaces

SKU	DT90G (Industrial Grey) DT90Y (Safety Yellow) DT90B (Black)
OPUS CO-EFFICIENT OF FRICTION:	MEAN BP = 69 CLASS = P5
BRIEF DESCRIPTION	<p>Manufactured from pressure moulded fibreglass strips, with impregnated oxide grit.</p> <ul style="list-style-type: none"> • Guaranteed from delamination for 5 years from purchase date • Corrosion resistant • Wear and impact resistant • UV resistant • Flame retardant • Light weight, easy to install and hard wearing <p>Supplied in 1m -3m lengths or custom cut to length as required. Can be fitted using our Gorilla adhesive and/or screws.</p>
MAXIMUM LENGTH	Available up to 3 Metres

FRP FLOOR TILE - 500mm x 500mm

Available in Industrial Grey / Safety Yellow



SKU	FRP-TG (Industrial Grey) FRP-TY (Safety Yellow)
OPUS CO-EFFICIENT OF FRICTION:	MEAN BP = 73 CLASS = P5
BRIEF DESCRIPTION	FRP floor tiles are light, easy to install and hard wearing. <ul style="list-style-type: none">• Corrosion resistant• Wear and impact resistant• UV resistant• Flame retardant• Light weight, easy to install and hard wearing

GORILLA FIX ALL TURBO POLYMER ADHESIVE



SKU

GORILLA

FEATURES AND BENEFITS

- Hand-tight in 20 mins
- Full strength in 3 hours
- Offers 20% flexibility
- 100% solvent free
- Paintable
- Delivers great UV and weather resistance

- Allow one 290ml tube per approx 30 linear metres of nosing or deck tread.
- The ultimate MS Polymer adhesive when speed matters. Its ultra-fast action, combined with great bonding strength, makes it ideal for all tasks where speed and time are important.

GORILLA 696 SURFACE ACTIVATOR



SKU

GOR696

FEATURES AND BENEFITS

- Liquid, easy to use
- To be used as cleaner and primer on non-porous surfaces
- Suitable for silicone, polyurethane and hybrid sealants

Gorilla 696 Surface Activator is a cleaner, degreaser and primer. Surface Activator will activate non-porous surfaces such as plastics, coatings and metal for improved adhesion of sealants based on silicone, polyurethane and MS Polymer. Use to prepare some plastics, powder coatings and other non-porous surfaces before bonding and sealing.

8G X 1-1/4" STAINLESS STEEL COUNTERSUNK SCREW



SKU

SCREW-SS

FEATURES AND BENEFITS

- 8G x 1-1/4" 304 Rib stainless steel countersunk square drive screws.
- For fitting MFRP stair nosings and FRP deck treads to wooden and concrete surfaces (order a concrete plug per screw if fitting to a concrete surface).
- Allow one per 250mm of nosing or deck tread

CONCRETE PLUG



SKU

PLUG

FEATURES AND BENEFITS

- For use with our stainless steel countersunk screws when fitting our MFRP nosing or FRP deck treads to concrete surfaces.
- Allow one screw and concrete plug per 250mm of nosing or deck tread.

ANTI SLIP SOLUTIONS

Do your floors become slippery when they get wet? Do you put out signs to warn of wet floors? Have people previously slipped over on your floors?

"Duty of Care" is a requirement for all employers, managers and landlords to provide a safe working and living environment under the Occupational Health and Safety Act. Failure to do so could leave you responsible should an accident occur, and could lead to a large fine and possible temporary closure of your work place.

Slippery tiles, concrete and walkway surfaces at the work place and home are a major hazard, result in thousands of injuries every year and are one of the most common cause of injuries. You must always eliminate the risk where you're reasonably able to; a non-slip solution is critical to get this problem under control.

Slip Proof NZ's anti-slip solutions is a process that microscopically alters the top surface of your tile or concrete to create a highly effective non-slip texture when wet, without the need to use coatings, tapes or mats. The treatment modifies the surface of the floor, deepens the surface pores, and provides a suction effect when the floor is wet. As you walk on it, instead of aquaplaning across the wet surface, your foot or shoe will grab the floor.

Unlike some other products available, our treatments combine multiple solutions on to the floor surface to give a controlled finish using tri component treatments for tile and quad component treatments for concrete. Slip Proof NZ provide a Commercial Maintenance Cleaner for ongoing maintenance of your non slip treatment. This cleaner contains a portion of the non-slip ingredient to keep your treated floor in premium condition for many years.

Available in easy to apply DIY kits, or phone Slip Proof NZ to discuss your requirements with one of our technicians.



SLIPPROOFNZ
ANTI-SLIP SAFETY SOLUTIONS

DIY KITS FOR TILED SURFACES



Easy to use 3 step kit suitable for indoor or outdoor use. Surface is able to be walked on immediately after application is completed; no dry time required.

KITS AVAILABLE IN THE FOLLOWING SIZES:

- 5 sqm – SKU: RC5M
- 10 sqm – SKU: RC10M
- 20 sqm – SKU: RC20M
- 50 sqm – SKU: RC50M

Areas above 50 sq meters, phone Slip Proof NZ.

DIY KITS FOR CONCRETE & TERRAZZO SURFACES



Easy to use 4 step kit suitable for indoor or outdoor use. Surface is able to be walked on immediately after application is completed; no dry time required.

KITS AVAILABLE IN THE FOLLOWING SIZES:

- 5 sqm – SKU: RT5M
- 10 sqm – SKU: RT10M
- 20 sqm – SKU: RT20M
- 50 sqm – SKU: RT50M

Areas above 50 sq meters, phone Slip Proof NZ.

COMMERCIAL MAINTENANCE CLEANER




Our CMC cleaning product is specially manufactured with a blend of surfactants to remove grease, fats, oils & soaps. It also contains a portion of the active anti-slip ingredient to keep your anti slip treatment in premium condition for many years.

KITS AVAILABLE IN THE FOLLOWING SIZES:

- 1 Litre – SKU: CMC1L
- 2 Litres – SKU: CMC2L
- 5 Litres – SKU: CMC5L

ANTI SLIP GRIP TAPES



Self adhesive grip tape provides a quick and affordable means of non slip prevention to multiple surfaces. Can be used indoors or outdoors, on stairs, ramps, decks, entrance ways, etc. Manufactured using a heavy duty binding film with a strong adhesive backing and 60 grit aluminium oxide surface.

Our anti slip tape is made using a fine grade aluminium oxide (60 grit), which makes it suitable for use in a wide range of applications. The grit is a medium abrasive coating.

Great for general anti slip requirements possessing excellent levels of grip (measured as Co-efficient of Friction).

The Safety Grip is water resistant (if applied onto a non-porous surface) and easily survives outside or inside.

BLACK ANTI SLIP GRIP TAPE



50MM

100MM

AVAILABLE IN
50MM AND 100MM WIDTHS X 18.3M ROLL:
50 mm – SKU: RTB50
100 mm – SKU: RTB100

YELLOW ANTI SLIP GRIP TAPE



50MM

100MM

AVAILABLE IN
50MM AND 100MM WIDTHS X 18.3M ROLL:
50 mm – SKU: RTY50
100 mm – SKU: RTY100

HAZARD ANTI SLIP GRIP TAPE



50MM

100MM

AVAILABLE IN
50MM AND 100MM WIDTHS X 18.3M ROLL:
50 mm – SKU: RTYB50
100 mm – SKU: RTYB100

50MM COMFORTABLE GRIP TAPE

Available in Black - Ideal to use on checker plate and uneven surfaces




SKU

RTCP50B

- Great for use on deck tread and uneven surfaces.
- Self adhesive aluminium backed tape in black, 50mm wide x 18.3m roll
- Conformable anti slip tape has a class O
- Dead soft aluminium foil backing.
- The advantage of using a foil instead of a conventional plastic is for the following reasons; Foil has zero stretch tolerances unlike a plastic, it will not be stretched. When a plastic stretches, it wants to revert to its original state so will lift from an irregular substrate. The foil has no memory, it can be pressed into place and will remain in that shape.
- The upper surface of Conformable safety-grip tape is a conventional abrasive, this results in exceptionally high grip levels (coefficient of friction), the abrasive upper surface provides grip even in wet or dirty conditions.
- The diamond hard mineral that is used ensures that good grip is obtained. Conformable anti slip tape is an extremely popular material.

100MM MARINE ANTI SLIP TAPE

Available in Black




SKU

MT-100B

- Self adhesive
- Waterproof and salt resistant
- Quality marine tape.
- Tailor made to be used on the open seas on anything from pleasure crafts, competitive boats and commercial vessels.
- Marine anti slip tape is the first product to be 100% guaranteed salt resistant. The marine anti slip tape construction is that of granules applied to a surface, unlike our abrasive products which have an aluminium oxide applied on top. This is more like a small glass bead than a sharp edged granule, to ensure comfort when walking on it with bare feet.
- Marine anti slip tape lends itself to use beyond marine specific applications. Due to the cleaning potential of marine anti slip tape, it can be applied in kitchens and tiled areas.

WHY CHOOSE PERMASTRIPE LINE MARKING TAPE?



PermaStripe floor marking tape is the modern warehouse line marking alternative to resin and paint helping forward thinking companies achieve current safety standards. Ideal to use as social distancing tape; contact us if you would like to be sent a sample.

Installation could not be easier; simply peel back the liner and stick down. Slip Proof NZ also have an applicator for hire for larger jobs, this enables rapid installation of PermaStripe floor tape.

No detailed preparation is required, unlike paints and resins, no fumes or solvents are emitted; the work area can be used whilst it is being applied, even in food preparation facilities.

Perfect for areas that carry heavily regulated hygiene standards.

No curing time - you have the stripe you want instantly.

The plain colours are a solid homogeneous construction; if scratched, it does not affect the colour.

Due to its extreme strength it will not snap if removed, enabling easy workplace 5S floor marking changes unlike paint or resin.

Ideal for Social Distancing Marking Tape. Self-adhesive, antibacterial floor marking tape.

Features:

- Self adhesive
- 1mm industrial PVC
- Beveled edges for super smooth transit and easy to clean
- Solid colour all the way through

50MM PERMASTRIPE LINE MARKING TAPE

Available in Yellow & Hazard



AVAILABLE IN 30M ROLL:

Yellow – SKU: PSY

Hazard – SKU: PSH

240MM x 90MM PERMASTRIPE SMOOTH BOOTS

Sold per pair



SKU SCREW-SS

- Ideal for guiding pedestrians to keep them from harms way. To work in conjunction with PermaStripe tape and corners.
- Semi-rigid PVC
- Durable
- Easy to apply
- Cost effective

90MM X 90MM PERMASTRIPE 90 DEGREE CORNER

Available in Yellow, Black & Hazard



SKU PSC90

- Ideal for guiding pedestrians to keep them from harms way. To work in conjunction with PermaStripe tape and boots.
- Semi-rigid PVC
- Durable
- Easy to apply
- Cost effective
- 50mm wide



SLIPPROOFNZ

ANTI-SLIP SAFETY SOLUTIONS

SLIP PROOF NZ LTD | MURRAY JEPSON

Phone: **07 542 2240 | 027 222 1742** | Email: **info@slipproof.co.nz**

WWW.SLIPPROOF.CO.NZ